



# EVOLVE

ceiling fans

CATALOG 2024





# EVOLVE

ceiling fans

**THE NEW GENERATION OF CEILING FANS**

Welcome to EVOLVE Ceiling Fans, where innovation meets design in the world of modern ceiling fans. Our collection of ceiling fans seamlessly blends cutting-edge technology with captivating aesthetics to elevate your home or office.

With a focus on energy efficiency, quiet operation and powerful DC motors, our modern ceiling fans are not only functional, but also a stylish addition to any room.

INNOVATION  
COMFORT  
STYLE



## WE ARE DIFFERENT



### 1. EFFICIENT MOTOR

With an average power consumption is 15 watts. And with a high airflow of 6,800CFM. Evolve motors are the most efficient on the market.



### 2. LED LIGHT MODULE

With a modern and minimalist design, Evolve ceiling fans offer a powerful 2100 lumen LED light. 3 temperatures: 3000K, 4000K and 6500K. And dimmable light. Max light consumption is 24 watts.



### 3. AIRFLOW

With DC motors and aerodynamic plastic blades, Evolve ceiling fans produce greater airflow compared to other brands. Committed to offering a highly efficient and ultra-quiet fan.



### 4. OUTDOOR

Designed for indoor and outdoor patio use. Also available EVOLVE COASTAL, approved for use in coastal and tropical areas.

## CHARACTERISTICS

Diameter	132cm / 52 inches.
Motor:	DC efficient. Reversible. 6-speeds.
Blades:	Plastic material ABS. White, Black, Bamboo and Cacao.
Location:	Indoor & outdoor (covered patio) (IP2x). Outdoor damp Coastal & Tropical.
Control:	Remote control & Wall control. 6-Speeds, timer, light temp control, light intensity control.
Light:	LED light module integrated. ✓ 2100 Lumen. ✓ 3000K, 4000K y 6500K
Hanging system:	Included down-rod: 12.5/25 cm. Low profile mount. Modern looking.
Noise level:	<40db
Airflow (Max):	6,800CFM
Air velocity (Max):	225RPM
Voltage:	100-120v & 220v-240 VAC, 1 phase, 50-60Hz
Warranty:	10-Years motor. 2-Years LED light.

evolvefan.com







Model 2409  
Color Light Wood - Bamboo



Model 2412  
Color Dark Wood - Cacao



Model 2408  
Color White Matte



Model 2410  
Color Black Matte

**SPECIFICATIONS:**

**Diameter:** 52 inches / 132cm

**Blades:** 3x ABS plastic

**Motor:** DC 153\*12mm, 35W

**Reversible:** Yes

**Speeds:** 6

**Light:** No included

**Light cap:** No included

**Control:** Remote control

**Timer:** 30' y 2H

**Max angle:** 25º

**Memory settings:** Yes

**Packaging dims:** 72\*28\*32cm

**Gross weight:** 6.5 kilos





Model 2404  
White – Light Wood Bamboo



Model 2405  
Black – Light Wood Bamboo



Model 2411  
Color Dark Wood - Cacao



Model 2407  
Color Black Matte



Model 2406  
Color White Matte

**SPECIFICATIONS:**

**Diameter:** 52 inches / 132cm

**Blades:** 3x ABS plastic

**Motor:** DC 153\*12mm, 35W

**Reversible:** Yes

**Speeds:** 6

**Light:** LED 24W 3CCT dimmable

**Light cap:** Acrylic plastic.

**Control:** Remote control

**Timer:** 30' y 2H

**Max angle:** 25º

**Memory settings:** Yes

**Packaging dims:** 72\*28\*32cm

**Gross weight:** 6.5 kilos





PLUS

EVOLVE PLUS SERIES ~ with LED integrated



Low profile mount  
Included

Model 2501  
Color Light Wood - Bamboo



Low profile mount  
Included

Model 2502  
Color Dark Wood - Cacao



Low profile mount  
Included

Model 2503  
Color White Matte



Low profile mount  
Included

Model 2504  
Color Black Matte

#### SPECIFICATIONS:

**Diameter:** 52 inches / 132cm

**Blades:** 3x ABS plastic

**Motor:** DC 153\*20mm, 35W

**Reversible:** Yes

**Speeds:** 6

**Light:** LED 24W 3CCT dimmable

**Light cap:** Acrylic plastic.

**Control:** Remote control

**Timer:** 30' y 2H

**Max angle:** 25°

**Memory settings:** Yes

**Packaging dims:** 72\*32\*32cm

**Gross weight:** 8.2 kilos





COASTAL



Modelo 2414  
Color mate negro



Modelo 2415  
Color mate blanco

SPECIFICATIONS:

**Diameter:** 52 inches / 132cm

**Outdoor:** Damp rated Coastal & Tropical use.

**Materials:** Stainless steel screws.  
Anticorrosion paint. Waterproof cover.

**Blades:** 3x ABS plastic

**Motor:** DC 153\*12mm, 35W

**Reversible:** Yes

**Speeds:** 6

**Light:** No included

**Light cap:** No included

**Control:** Remote control

**Timer:** 30' y 2H

**Max angle:** 25º

**Memory settings:** Yes

**Packaging dims:** 72\*28\*32cm

**Gross weight:** 6.5 kilos



DC Control de pared (RF)


EVOLVE CEILING FANS COMPARISON CHART

				
	EVOLVE SERIES	EVOLVE SERIES	EVOLVE PLUS	DE COSTA
CHARACTERISTICS				
Diameter	132cm / 52 inches	132cm / 52 inches	132cm / 52 inches	132cm / 52 inches
Finish colors	Light wood – Bamboo Dark Wood – Cacao White Matte Black Matte	Light wood – Bamboo Dark Wood – Cacao White Matte Black Matte	Light wood – Bamboo Dark Wood – Cacao White Matte Black Matte	White Matte Black Matte
Blade material	ABS plastic	ABS plastic	ABS plastic (wider blades)	ABS plastic
Location <sup>1</sup>	Indoor & Outdoor damp	Indoor & Outdoor damp	Indoor & Outdoor damp	Indoor & Outdoor damp. Coastal / tropical
Covered area	Space area +37m <sup>2</sup>	Space area +37m <sup>2</sup>	Space area +37m <sup>2</sup>	Space area +37m <sup>2</sup>
Hanging system	12.5cm & 25cm	12.5cm & 25cm	12.5cm & 25cm Low profile base mount	12.5cm & 25cm
Light	Not included	Led light integrated	Led light integrated	Not included
LED option	N/A	3 LED temp: 3000K, 4000K, 6500K Light dimmable	3 LED temp: 3000K, 4000K, 6500K Light dimmable	N/A
Control	Remote control	Remote control	Remote control	Remote control or Wall control
Reverse function	Winter / summer mode	Winter / summer mode	Winter / summer mode	Winter / summer mode
ENERGY SPECIFICATIONS				
Motor	DC – 6 Speeds	DC – 6 Speeds	DC – 6 Speeds	DC – 6 Speeds
Motor size	153x12mm	153x12mm	153x20mm	153x12mm
Power (W) Max.	38W	38W	35W	38W
Power (W) Avg.	20W	15W	13.4W	20W
Light (W)	24W	24W	24W	24W
Speed (RPM) Max.	226	207	180	226
Airflow (CFM) Max,	6,800	6,800	7,950	6,800
efficiency (CFM/W)	179	179	227	179
Noise level(dba)	<40 dba	<40 dba	<40 dba	<40 dba
Voltage	100-120v & 220-240v 50-60Hz	100-120v & 220-240v 50-60Hz	100-120v & 220-240v 50-60Hz	100-120v & 220-240v 50-60Hz


1 Outdoor humidity: Areas that are not directly exposed to sun, rain, snow, water or moisture.  
2 Sound level: Actual results of sound measurements in the field may vary due to sound reflective surfaces and environmental conditions.



Universal Down-rod



Finish color	SKU	Lenght
Black	DR-2600	40 cm / 15 Inches
Black	DR-2601	60 cm / 23 Inches
Black	DR-2602	90 cm / 35 Inches
Black	DR-2603	120 cm / 47 Inches



Color	SKU	Longitud
White	DR-2604	40 cm / 15 Inches
White	DR-2605	60 cm / 23 Inches
White	DR-2606	90 cm / 35 Inches
White	DR-2607	120 cm / 47 Inches

Included with ceiling fan (universal down-rod.): 12.5cm (5 in.) / 25cm (10 in.)

REMOTE CONTROL



FP-2501B  
6 speeds. Controls: Light, on / off, speeds. Timer.  
100 - 240v / 50-60Hz

DC – WALL CONTROL



FP-2503  
6 speeds. Controls: Light, on / off, speeds. Timer.  
100 - 240v / 50-60Hz

LED LIGHT




FP-2500  
LED lighting kit module

LIGHT CAP



FP-2502  
Acrylic light cover



PACKAGING DESIGN







Email: [Sales@oryx-intl.com](mailto:Sales@oryx-intl.com)

Cell & WhatsApp : +1 (786) 759-0545

[evolvefan.com](http://evolvefan.com)